



ORO 14M6 MECHANIC BODY, KENWORTH T480, STELLAR 12630 CRANE, VMAC MF

DESCRIPTION	LOCATION	QTY	TOTAL
BODY REFERENCE			
 			
BUMPER CSRV CSH CS3V CS2V CS1V	SS1V SS2V SS3V SSH SSRV BUMPER		

SERVICE BODY

ORO 14M6 Mechanic Crane Body with front compartments raised to 68" tall, all others 60" tall x 24" deep, structural tubing understructure with isolated crane compartment to accommodate crane to 66,000 ft.lbs (77,800 ft.lbs. in Boost Mode), exterior LED DOT light package, wiring harness, extra-deep 24" cabinets throughout body with SSRV compartment 30" at bottom half to accommodate large reels, 169" long cabinets, 30" extra-deep work bench bumper with through compartment, 42" deep compressor/power unit pan at front of cargo area raised 24" off cargo deck, (6) recessed cargo tie-downs, (2) bumper mounted tow/chain rings, (2) rear mounted stainless grab handles, automotive type compartment weather seal on all doors, rubber fenderettes over rear wheel wells, 1/8 aluminum automotivestyle recessed doors on all compartments, 12 Ga. steel doors on bumper compartment and rear barn doors (if applicable), 3-point stainless steel "D" handle latches on all compartments, stainless steel hinges, gas loaded door shocks. To be mounted on a 24,000 minimum GVWR chassis, 132" cab to axle (CA) dimension.

MOUNTING KITS

Mounting Kit for ORO M6 Bodies - Straight Frame Chassis 1.00

SHELVING & TOOL CABINETS

ORO HD MECHANIC DRAWER SET - Single Hand Latch, Utility Grade (Bare Alum Faces, Unpainted), 46.88"H x 30"W x 21"D with 7-3", 2-5", and 1-7" Drawers, 3.5" Riser.	750-475-006	SS1V	1.00
Heavy Duty aluminum shelf, adjustable	951-000005	SS2V	1.00

DESCRIPTION	PART NO.	LOCATION	QTY	TOTAL
ORO 18 drawer bolt bin 40"h x 13.5"W x 17.25"D, galvanized steel, 3 aluminum dividers per drawer	500-000-010	SS2V	1.00	
Heavy Duty aluminum shelf, adjustable	951-000005	SS3V	2.00	
ORO HD MECHANIC DRAWER SET - Single Hand Latch, Utility Grade (Bare Alum Faces, Unpainted), 17.25"H x 44"W x 21"D with 2-3" and 1-5" Drawers, 3.5" Riser.	750-475-007	SSH	1.00	
Heavy Duty aluminum shelf, adjustable		CSH	1.00	
Heavy Duty aluminum shelf, adjustable	951-000005	SSRV	1.00	
Clothing/boot rack organizer with top shelf		CS1V	1.00	
Heavy Duty aluminum shelf, adjustable	951-000005	CS2V	2.00	
Oxy/Acet bottle holder kit	951-000018	CS3V	1.00	
Welded shelf, painted		CS REAR	1.00	
Heavy duty rubber mat set for compartment floor, 14M6 - 1/2" rubber mats, ribbed		All compartment floors	1.00	
Heavy duty rubber mat set in cargo area, 14M6 - 1/2" rubber mats, ribbed		Rear cargo area	1.00	
PAINT & UNDERCOATING				
Prime and Paint ORO 14M6 mechanic body white			1.00	
Underside of body primed and painted ORO white	Q-1001	Underbody	1.00	
BODY OPTIONS				
Aluminum checkerplate rock guards at front, rear and over the wheel well		Front, rear, wheel wells	1.00	
Aluminum checkerplate 3-hole light boxes at rear of body		Rear of side packs	2.00	
Aluminum 14M6 grip strut walkway installed over side pack (driver's side only). Includes folding step & alum. grab handle		Top of SS compartments	1.00	
ORO 3-piece telescoping top, 14M6 mechanics body, painted		Rear cargo area	1.00	
Slide out vise mount in rear bumper compartment - Curb side c/w 6" Wilton vise.		CS Bumper	1.00	
Load track for 12M6 & 14M6 bodies - on each side of cargo area complete with (2) load bars		Cargo area	1.00	
Yellow Safety Handle off Rear Bumper - M6 Body	953-000054	Rear SS bumper	1.00	
Grab handle - mounted on rear side packs		Rear of side packs	2.00	
Heavy-Duty rubber belt step in rear bumper		SS Rear Bumper	1.00	
Stainless Steel Door Sill Guards Set for 14M6 Bodies - Installed along bottom of tall compartment door lips, brushed stainless finish		Bottom Door Sills, Toolbox Compartments	1.00	

DESCRIPTION	PART NO.	LOCATION	QTY	TOTAL
SAFETY ACCESSORIES				
10lbs Fire Extinguisher c/w mounting bracket and cover	953-000048	SS Front of Side Packs - mounted on checkerplate rock guards	1.00	
Top of body large wheel chock mount	951-000021	Top of CS Side Pack Under Crane	1.00	
Large equipment wheel chock - orange		Chock Mount	2.00	
Mine safety flag c/w light and "X" tape		SS Front	1.00	
Back up Camera System - 7" LCD Monitor on Dash, Color Backup Camera with Sound		Camera on SS side-pack, display in cab	1.00	
ELECTRICAL SYSTEMS				
Electrical mid junction and rear junction panels			1.00	
Compartment heater - 16,000 BTU coolant heater, Hi/Lo fan	958-000022	CS1V for boot rack	1.00	
ORO Switch Pack assembly, c/w 25 amp switches, aluminum housing. Installed and wired		Cab	1.00	
Power inverter 6000 watt - Includes (2) 120 volt plug ins, (1) located in cab & (1) located in SS1V Compartment		SS1V	1.00	
Chassis boosting plug in side compartment - Wired To Chassis Batteries in rear of body		SS1V	1.00	
LIGHTING SYSTEMS				
Amber LED Warning Light Bar, 47 X 9 3/4", 3X3 Flashing End Lights, 4X8 Flashing Front and Rear Lights. Aluminum Main Body, Sealed and Weather-proofed. On/Off Switch in Cab with Flash Pattern Selector.			1.00	
Work Light, LED		(1) SS rear lightbox, (1) CS rear lightbox, (2) SS Riser, (2) CS Riser	6.00	
Additional work lights installed on rear light boxes		(1) SS Light Box, (1) CS Light box	2.00	
Additional work lights installed on crane boom	954-000044	(2) Crane Boom	2.00	
Compartment Light, LED		(1) per compartment, (2) in rear cargo area, (4) underbody	14.00	
Light bar riser for ORO M6 Body, chrome checkerplate finish, for mounting of work lights, light bar & air tank at front of body		Front Top Body	1.00	
ORO Telescopic Flood Light - LED Light Bar 72 Watt, 12 Volts	954-000033	SS Rear	1.00	

DESCRIPTION	PART NO.	LOCATION	QTY	TOTAL
CHASSIS UPGRADES				
Aluminum console in cab		Chassis Cab	1.00	
Backup alarm, electric			1.00	
Relocate Batteries to Rear Cargo Area - Supply and Install Chassis Battery Tray (if required)			1.00	
Havis Shield Laptop Mount Assembly		Chassis Cab	1.00	
Seat cover set for Kenworth Cab		Chassis Cab	1.00	
ORO Mudflaps - Body Only			2.00	
CRANE				
Stellar® 12630 Telescopic Crane - 77,800 ft/lb rated, 12,000 lb. maximum capacity - 30' full hydraulic reach - CDTplus™ equipped proportional radio remote control.	1198555		1.00	
ORO M6 adjustable boom support, painted black		Top of CS Compartments	1.00	
Stabilizer, hydraulic out/hydraulic down for installation in bumper, painted black	43039		1.00	
AIR SYSTEM & HYDRAULIC PACKAGE				
Hydraulic reservoir, 29 gallon, top mounted for power unit, aluminum construction, buffed aluminum finish	957-000004	SS top of side pack	1.00	
1/2" x 50' air reel with PX300 extended service arctic hose	957-000069	CSRV	1.00	
1" FL (Filter-Lubricator) Assembly	957-000050	CSRV	1.00	
15 gallon air tank assembly including safety valve, tank is painted black	957-000046	Front top body	1.00	
VMAC Multifunction - 6-in-1 Power System (Diesel) with Compressor, A/C Generator, D/C Welder, Jump Start, Battery Booster, PTO Port, and Cold Climate Kit. Includes Hydraulic Pump, Fuel Pump Kit. Fuel Drawn from Chassis Tank	D600016	Front of Cargo Area	1.00	
Manual Air Drain System			1.00	
Booster Cable Set, 15ft, VMAC Multifunction, Anderson Plugs	060-540-002		1.00	
Welding Cable Set, 15 ft, VMAC Multifunction, Anderson Plugs	060-540-003		1.00	
Extension Cable Set, Welding, 25ft, VMAC Multifunction, Anderson Plugs	060-540-004		1.00	
CAT Plug Booster Cable 7ft, VMAC Multi-Function, Anderson Plugs	060540-001		1.00	
COLD WEATHER OPTIONS				
Webasto Thermo 90ST Auxiliary Coolant Heater, Thermostat controlled, Diesel Drive. Plumbed to chassis fuel tank. Heats full truck coolant system, which heats both chassis, Enpak, and compartment heater coolant systems via cold weather system	5001226A	CS1V	1.00	

DESCRIPTION	PART NO.	LOCATION	QTY	TOTAL
LUBRICATION OPTIONS				
Waste oil system (70 gal) including aluminum baffled tank, 1" Graco Diaphragm pump, 4-way valve, 3/4" x 25' hose reel kit, solenoid valve, 1/2" regulator, pressure gauge, hose, fittings and electrical		Bulkhead Mounted Tank, System in SSRV	1.00	
IN STOCK BASE BODY PRICE: CAD				



KENWORTH T480 SERIES CHASSIS

Engine: PX-9 300, 2024 300@1850 860@1200 W/ Turbo Exh Brakes

Transmission: Allison 3000RDS, 6 SPD, GEN 6, W/ PTO

Front Axle: Dana SPCR D-1461I 14.6K Rated

Rear Axle: Dana SPCR S23-190 23K Rated @ 23K

Suspension: Hend HAS230 8.8" HT, Weld CM/G*23K SING

Brake System: Air Disc Brakes All Axles, Bendix

CHASSIS PRICE: CAD

TAXES EXTRA

**COMPLETE IN STOCK BASE PACKAGE PRICE:
CAD**

ORO DESIGN
& Manufacturing

David Smith

3 Small Crescent, Oro-Medonte, ON L0L 1T0

T. 705.327.1567 F. 705.327.1506

WWW.ORODESIGN.CA



Check out the latest from ORO Design on Facebook, Instagram and YouTube @ORODESIGN.MFG



KENWORTH TRUCK CENTRES

www.kwtoronto.com

1-888-ALL-RIGG (255-7444)

WWW.KWTORONTO.COM